


The Condensing and Seal Pots are built according to the ASME code. They are used in the applications where direct contact of process fluid with the instrument is not recommended. They are used for collecting moisture or sealing liquids.



Material	Thickness Code	Schedule 40 Test Pressure		Availability Sch.40
		BAR	PSI	
ASTM A105 Gr. B Carbon Steel	B40	80	1150	All Types
AISI 316 Stainless Steel	C40	95	1350	All Types
ASTM A335 Gr. P12 Alloy Steel	-	-	-	-

Material	Thickness Code	Schedule 80 Test Pressure		Availability Sch.80
		BAR	PSI	
ASTM A105 Gr. B Carbon Steel	B80	125	1800	All Types
AISI 316 Stainless Steel	C80	155	2200	3-A51/52, 611/621, 622
ASTM A335 Gr. P12 Alloy Steel	D80	125	1800	3-A51/52, 611/621, 622

Material	Thickness Code	Schedule 160 Test Pressure		Availability Sch.160
		BAR	PSI	
ASTM A105 Gr. B Carbon Steel	B160	210	3000	3-A51/52, 611/621, 622
AISI 316 Stainless Steel	-	-	-	-
ASTM A335 Gr. P12 Alloy Steel	D160	210	3000	3-A51/52, 611/621, 622